Page 2 of 11

Amendments to the Claims:

A listing of the entire set of pending claims (including amendments to the claims, if any) is submitted herewith per 37 CFR 1.121. This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

- 1-3 (Canceled)
- 4. (Previously presented) A light reflector having a plurality of projected portions or recessed portions, wherein:

the reflector has n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number equal to or greater than 3;

the light reflector comprises a plurality of projected portion sets or recessed portion sets, each of the projected portion sets or recessed portion sets consisting of said n first projected portions or recessed portions;

the plurality of projected portion sets or recessed portion sets are constructed such that at least two of the plurality of projected portion sets or recessed portion sets are arranged around one of the plurality of projected portion sets or recessed portion sets, each of the at least two projected portion sets or recessed portion sets being adjacent to said one projected portion set or recessed portion set: and

said plurality of projected portion sets or recessed portion sets are constructed such that six of said plurality of projected portion sets or recessed portion sets are arranged around one of said plurality of projected portion sets or recessed portion sets, each of said six projected portion sets or recessed portion sets being adjacent to said one projected portion set or recessed portion set.

Page 3 of 11

- 5 (Canceled)
- 6. (Previously presented) A light reflector having

a plurality of projected portions or recessed portions, wherein the reflector has n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number which is equal to or greater than 3; and

the number of said first projected portions or recessed portions is seven.

- 7-11 (Canceled)
- 12. (Previously presented) A light reflector as claimed in claim 4, wherein said reflector comprises at least one second projected portion or recessed portion in a area surrounding by said n first projected portions or recessed portions.

Page 4 of 11

13. (Previously presented) A light reflector having a plurality of projected portions or recessed portions, wherein:

the reflector has n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number equal to or greater than 3;

the light reflector comprises a plurality of projected portion sets or recessed portion sets, each of the projected portion sets or recessed portion sets consisting of said n first projected portions or recessed portions;

the plurality of projected portion sets or recessed portion sets are constructed such that at least two of the plurality of projected portion sets or recessed portion sets are arranged around one of the plurality of projected portion sets or recessed portion sets, each of the at least two projected portion sets or recessed portion sets being adjacent to said one projected portion set or recessed portion set; and

in the case of defining respective lines connecting adjacent projected portions or recessed portions of said n first projected portions or recessed portions with respect to each of said plurality of projected portion sets or recessed portion sets, said respective lines associated with one of said plurality of projected portion sets or recessed portion sets extend in directions which are different from those of said respective lines associated with remaining projected portion sets or recessed portion sets.

14. (Previously presented) A light reflector as claimed in claim 4, wherein,

in the case of defining respective lines connecting adjacent projected portions or recessed portions of said n first projected portions or recessed portions with respect to each of said plurality of projected portion sets or recessed portion sets,

said respective lines associated with one of said plurality of projected portion sets or recessed portion sets extend in directions which are different from those of said respective lines associated with remaining projected portion sets or recessed portion sets.

Page 5 of 11

15 (Canceled)

16. (Previously presented) A liquid crystal display device comprising pixel electrodes formed at areas corresponding to pixels, respectively, each pixel being associated with a light reflector having a plurality of n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number which is equal to or greater than 3, wherein:

the light reflector comprises a plurality of projected portion sets or recessed portion sets, each of said projected portion sets or recessed portion sets consisting of said n first projected portions or recessed portions; and

said plurality of projected portion sets or recessed portion sets are constructed such that at lease two of said plurality of projected portion sets or recessed portion sets are arranged around one of said plurality of projected portion sets or recessed portion sets, each of said at least two projected portion sets or recessed portion sets being adjacent to said one projected portion set or recessed portion set.

17. (Previously presented) A liquid crystal display device as claimed in claim 16, wherein

said plurality of projected portion sets or recessed portion sets are constructed such that six of said plurality of projected portion sets or recessed portion sets are arranged around one of said plurality of projected portion sets or recessed portion sets,

each of said six projected portion sets or recessed portion sets being adjacent to said one projected portion set or recessed portion set.

18 (Canceled)

Page 6 of 11

19. (Previously presented) A liquid crystal display device comprising pixel electrodes formed at areas corresponding to pixels, respectively, each pixel being associated with a light reflector having a plurality of n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number which is equal to or greater than 3,

wherein the number of said first projected portions or recessed portions is seven.

20. (Previously presented) A liquid crystal display device comprising pixel electrodes formed at areas corresponding to pixels, respectively, each pixel being associated with a light reflector having a plurality of n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number which is equal to or greater than 3, wherein:

the light reflector comprises a plurality of projected portion sets or recessed portion sets, each of said projected portion sets or recessed portion sets consisting of said n first projected portions or recessed portions; and

in the case of defining respective lines connecting adjacent projected portions or recessed portions of said n first projected portions or recessed portions with respect to each of said plurality of projected portion sets or recessed portion sets, said respective lines associated with one of said plurality of projected portion sets or recessed portion sets extend in directions which are different from those of said respective lines associated with remaining projected portion sets or recessed portion sets.

21. (New) A light reflector having

a plurality of projected portions or recessed portions, wherein

sald reflector has n first projected portions or recessed portions at positions corresponding respectively to vertexes of an equilateral polygon having n sides, n being an odd number which is equal to or greater than 3.

JP-000033 Amendment 4.525 - MAC

Atty. Docket No. JP-000033

Page 7 of 11

22. (New) A light reflector as claimed in claim 21, wherein

said light reflector comprises a plurality of projected portion sets or recessed portion sets,

each of said projected portion sets or recessed portion sets consisting of said n first projected portions or recessed portions.

23. (New) A light reflector as claimed in claim 22, wherein

said plurality of projected portion sets or recessed portion sets are constructed such that at lease two of said plurality of projected portion sets or recessed portion sets are arranged around one of said plurality of projected portion sets or recessed portion sets,

each of said at least two projected portion sets or recessed portion sets being adjacent to said one projected portion set or recessed portion set.

24. (New) A light reflector as claimed in claim 21, wherein

said reflector comprises at least one second projected portion or recessed portion in an area surrounding by said n first projected portions or recessed portions.

25. (New) A light reflector as claimed in claim 22, wherein,

in the case of defining respective lines connecting adjacent projected portions or recessed portions of said n first projected portions or recessed portions with respect to each of said plurality of projected portion sets or recessed portion sets,

said respective lines associated with one of said plurality of projected portion sets or recessed portion sets extend in directions which are different from those of said respective lines associated with remaining projected portion sets or recessed portion sets.

Page 8 of 11

- 26. (New) A liquid crystal display device comprising

 pixel electrodes formed at areas corresponding to pixels, respectively,
 each pixel being associated with a light reflector having
 a plurality of n first projected portions or recessed portions at positions
 corresponding respectively to vertexes of an equilateral polygon having n sides,
 n being an odd number which is equal to or greater than 3.
- 27. (New) A light reflector as claimed in claim 22, wherein said reflector comprises at least one second projected portion or recessed portion in an area surrounding by said n first projected portions or recessed portions.
- 28. (New) A light reflector as claimed in claim 23, wherein said reflector comprises at least one second projected portion or recessed portion in an area surrounding by said n first projected portions or recessed portions.
- 29. (New) A liquid crystal display device as claimed in claim 26, wherein said light reflector comprises a plurality of projected portion sets or recessed portion sets,

each of said projected portion sets or recessed portion sets consisting of said n first projected portions or recessed portions.

30. (New) A liquid crystal display device as claimed in claim 26, wherein said light reflector comprises at least one second projected portion or recessed portion in an area surrounded by said n first projected portions or recessed portions.